	Application No.	Applicant(s)
	••	
Notice of Allowability	10/507,182 Examiner	RITZ ET AL. Art Unit
	Peter J. Macchiarolo	2879
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>RCE filed 05/07/2007</u> .		
2. The allowed claim(s) is/are <u>1-17</u> .		
3. ☑ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☑ All b) ☐ Some* c) ☐ None of the:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. Notice of Informal F	Patent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	
3. Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Da 7. ☐ Examiner's Amendi	
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	8. X Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9.	
	•	
·		•

Art Unit: 2879

DETAILED ACTION

Continued Examination

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application on 05/07/2007. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 03/22/2007 has been entered.

Acknowledged Receipt

Receipt is acknowledged of the changes to the claims and the remarks related to the previous rejection, both of which were filed on 03/22/2007. The above have been considered and entered.

Allowable Subject Matter

Claims 1-17 are allowed.

The following is an examiner's statement of reasons for allowance:

Regarding independent claims 1, 10, and 13, the prosecution history, especially at the previous Remarks by Applicant (03/22/2007, page 13) clearly indicates the reasons for allowance. Specifically, even though Parham discloses in at least col. 8, ll. 53 to col.9, ll. 44 that the primary reflector 290 is applied over approximately one-half of the exterior surface of the elliptical or bulbous portion 258, Parham does not explicitly disclose the distance down the rearward or extended end portion the primary reflector is applied. Moreover, Parham infers that

the primary reflector 290 should cover the majority of the extended end portion to yield a light beam pattern having a smaller angular distribution relative to the longitudinal axis S and larger in candlepower. This inference actually teaches away from the formation of the primary reflector that does not mostly cover the extended end.

Therefore, the prior art fails to teach or suggest a reflector lamp with the primary reflector covers a portion of the hollow discharge vessel but does not mostly cover then end, in combination with the remaining limitations of the claims.

The remaining claims are allowable due to their dependency.

Any comments considered necessary by the Applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Peter J Macchiarolo whose telephone number is (571) 272-2375. The examiner can normally be reached on 8:30 - 5:00, M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nimeshkumar D Patel can be reached on (571) 272-2475. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

Application/Control Number: 10/507,182

Art Unit: 2879

Page 4

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

(p)M

NIMESHKUMAR D. PATEL
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800